

Dispensing Equipment







Loctite® products are used for a wide variety of bonding, threadlocking, retaining, gasketing and sealing applications.

For users requiring precise and automated dispensing, Henkel has developed equipment especially designed for economical, fast, precise and clean application of adhesives and chemical sealants as beads, drops or continuous rings. Henkel provides a complete line of dispensing equipment, ranging from simple hand-held dispensers to fully automated systems. Ultraviolet curing system to suit application needs are also available.

Loctite® One Component Adhesives/Sealants:

Equipment		Assembly			Instant Bonding			Flexible Bonding & Sealing		
		Loctite® Anaerobic Adhesives/Sealants			Loctite® Cyanoacrylate Adhesives/Sealants			Loctite® Silicone/Polyurethane/MS Sealant		
		Manual	Semi-Automatic	Automatic	Manual	Semi-Automatic	Automatic	Manual	Semi-Automatic	Automatic
Syringe	10 ml & 30 ml	98026*/**	98666*	97006	n.a.	97006 (only 0	Gel-CA 454)			
Bottle	50 ml	98414	98548 (non	thixotropic)	98548			Please contact your		
	250 ml	97001	97009	T: 97106		n.a.		local Technical Support		
	500 g	n.a.			98548	97009	T: 97106			
Cartridge	300 ml	97002	n.a.	T: 97631*	n.a.		T: 97631*	97002		
Plastic tube 250 ml		97002	n.a.		n.a.			n.a.		
Pails	20 kg	n.a.		n.a.			97560*			
Integrated Tank Controller		97004*	97009		97003*	97009				
Controller (requires Tank T)				97123			97123		Please contact your	
Valves	low flow	97131*	97121	98009*	97131*	97121	98013		local Technical Support	
	high flow	97112*	97130	97114		97130	97134*			

^{*} This product is not represented in this brochure, for further details please contact your local technical support. **Only for 30 ml.

Light Curing	Manual	Semi-Automatic	Automatic	
Loctite® UV Adhesives	98591	97055	Please contact your local Technical Support	

Loctite® Two Component Adhesives:

		Structural Bonding Loctite® Epoxy/Acrylic/Methacrylate						
		Handheld Manual	Handheld Pneumatic	Semi-Automatic	Automatic	Mixing Nozzle		
Twin cartridge	50 ml	96001	97042*	Please contact your local Technical Support		984569*		
	200 ml	96003	983437			984570*		
	400 ml	983438*	983439			984570*		
Pails	1 kg & 20 kg							

^{*} This product is not represented in this brochure, for further details please contact your local technical support.

Henkel offers the appropriate mixing nozzle for each product & equipment:


Henkel can provide you with a large choice of needles and accessories to optimise your application:





Which Loctite® product are you using?

Loctite® One Component Adhesives/Sealants





Peristaltic Hand Pump

- Mounts easily on any Loctite® 50 ml (98414) and 250 ml (97001) bottle, converting the bottle into a portable dispenser
- Controlled amount of adhesive
- 98414 comes with a stand to stabilise 50 ml bottle



300 ml Cartridge Pneumatic Dispenser

- Dispenses all Loctite® products packaged in a 250 ml tube or in a 300 ml cartridge
- Integrated pressure regulator allowing user to control the flow rate
- Quick pressure relief valve



Volumetric Dispenser

- For low viscosity, non-thixotropic adhesives
- For precise dosing and controlled flow rate
- Usable as manual or semi-automatic workstation
- · No air source required



Precision Syringe Dispenser – Digital

- Accurate dispensing of viscosities from water-thin to paste-like
- For products packaged in 10, 30, 55, and 300 ml syringes
- Delivers precise dots in a timed mode, or beads or potting, in a continuous mode



Integrated Semi-Automatic Dispensing System

- Combines both a controller and reservoir into a single unit
- Provides digital timing control
- Can be actuated either by a footswitch or fingerswitch
- Provides empty and end-of-cycle signal





Loctite® Cyanoacrylate Adhesives/Sealants

97009 97123 97121 97130 97106 98013

Flexible Bonding and Sealing

Loctite® Silicone/Polyurethane/MS Sealant

Manual

97002

Semi-Automatic

Please contact your local Technical Support



Manual

98548

Pinch Valve Applicator

- Provides excellent compatibility with all Loctite® products including cyanoacrylates
- Dispenses small drop sizes of low to medium viscosity products
- Can be either mounted to the reservoir or to the point of application



ErgoLOC Valve

- Ergonomic design provides comfortable hand application control
- Eliminates hand fatigue
- Suitable for small drop sizes up to beads of low to medium viscosity products including Instant Adhesives



Reservoir 0,51/Single Channel-Automatic Controller

- Fully programmable independent controller (97123) with PLC interface
- Precision pressure regulator for reliable dispensing
- Integrated solenoids for cost and space effectiveness
- Level sensor in the tank (97106) with level indication at the controller



Stationary Applicator Valve

- Easy exchange of actuator and shut-off valve modules
- Contains adjustable suck-back
- Eliminates product stringing
- Used for stationary and advancing application



Cyanoacrylate Dispense Valve

- Diaphragm valve with high resolution stroke adjustment
- No-drip dispensing
- For low to medium viscosity cyanoacrylate adhesives



Light Curing

Loctite® UV Adhesives

Light Curing

97055

98591

Structural Bonding

Loctite® Epoxy/Acrylic/Methacrylate

Handheld Manual

96001

96003

Handheld Pneumatic

Semi-Automatic/ **Automatic**

983437 / 983439

Please contact your local **Technical Support**

97055

UVALOC 1000

- For UVA, UVC and visible light curing
- · Closed system with safety door locking and programmable shutter system





Loctite® 7700 Hand Held **LED Light Source**

- For many UV/visible light cure products
- Instant on/off performance and consistent light output
- · Heating of assemblies virtually eliminated

96001



50 ml Dual Cartridge **Manual Applicator**

- · Hand-held, manually operated mix dispenser, provides a convenient, cost-effective method of applying product with minimal waste
- Compatible with 1:1, 2:1 and 10:1 ratio products
- · Made of impact resistant plastic

96003



200 ml Dual Cartridge **Manual Applicator**

- · Hand-held, manually operated dispenser
- · Provides a convenient, cost-effective method of applying product with minimal waste
- Fits 1:1 and 2:1 mix ratio products
- · Mix nozzles are sold separately
- · Made of die-cast aluminium

983437/983439



Dual Cartridge Pneumatic Applicator

- · Hand-held, pneumatically operated meter mix applicator
- It provides a convenient, cost-effective method to apply product with minimal waste
- The dispensers are compatible with 1:1 and 2:1 mix ratio products
- 983437 fits 200 ml dual cartridges
- 983439 fits 400 ml dual cartridges

Product Overview









Henkel Loctite Adhesives Ltd

Technologies House Wood Lane End Hemel Hempstead Hertfordshire HP2 4RQ Tel. 01442 278100 Fax 01442 278071

The data contained herein are intended as reference only. Please contact your local Henkel Technical Support Group for assistance and recommendation on specifications for these products.